

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A data multiplexing network system including:

a wavelength division multiplexing network;

a first wavelength multiplexing function unit for setting a plurality of different wavelengths which correspond to a plurality of different service classes, respectively, and for mapping each ~~packet~~ of a plurality of packets into each a correspondent-wavelength ~~which corresponds to each~~ corresponding to a particular one of the plurality of different service class~~[[,]]~~ classes to which said ~~each~~ packet belongs, and for multiplexing said correspondent-wavelengths for said plurality of different service classes for a data transmission ~~at a multiplexed wavelength~~ through said wavelength division multiplexing network; and

a second wavelength multiplexing function unit for receiving ~~said~~ each correspondent-wavelength and for fetching a packet ~~from said each correspondent-wavelength~~ therefrom.

2. (Currently Amended) The data multiplexing network system as claimed in claim 1, wherein said first wavelength multiplexing function unit further includes:

a plurality of ports for receiving ~~[[a]]~~ said plurality of packets;

a first packet interface unit for receiving said plurality of packets from said plurality of ports;

a first service class specifying unit for receiving said plurality of packets from said first packet interface unit and for specifying ~~each~~ the service class[,] to which each of said plurality of packets belongs;

a first wavelength mapping unit for receiving said plurality of packets from said first service class specifying unit and for mapping each of said plurality of packets at ~~each~~ a correspondent-wavelength ~~which corresponds~~ corresponding to said ~~each~~ the specified service class; and

a first wavelength division multiplexing network interface for receiving said correspondent-wavelengths from said first wavelength mapping unit and for multiplexing said correspondent-wavelengths.

3. (Currently Amended) The data multiplexing network system as claimed in claim 2, wherein said second wavelength multiplexing function unit further includes:

a second wavelength division multiplexing network interface for demultiplexing a multiplexed wavelength transmitted through said wavelength division multiplexing network into said correspondent-wavelengths;

a second wavelength mapping unit for receiving said correspondent-wavelengths from said second wavelength division multiplexing network interface and for fetching said packets from said correspondent-wavelengths;

a second service class specifying unit for receiving said packets from said second wavelength mapping unit and for specifying ~~each~~ an appropriate output port for each of said packets, and for adding ~~each~~ output port information to said each packet; and

a second packet interface unit for receiving ~~said~~ each packet with said ~~each~~ output port information and for sending said ~~each~~ packet to ~~identified~~ the one of said plurality of ports~~[[,]]~~ identified by said ~~each~~ output port information.

4. (Currently Amended) The data multiplexing network system as claimed in claim 3,

wherein said first service class specifying unit adds said ~~each~~ output port information to ~~said~~ each packet, and

wherein said second service class specifying unit also specifies said ~~each~~ output port based on said ~~each~~ output port information of ~~said~~ each packet.

5. (Currently Amended) The data multiplexing network system as claimed in claim 3, wherein said second service class specifying unit also specifies said ~~each~~ output port based on ~~each~~ packet specifying information included in ~~said~~ each packet.

6. (Currently Amended) The data multiplexing network system as claimed in claim 5, wherein said ~~each~~ packet specifying information comprises a packet header included in ~~said~~ each packet.

7. (Currently Amended) The data multiplexing network system as claimed in claim [[1]] 2,

wherein said first packet interface unit adds ~~each~~ input port information to each of said plurality of packets as received from said plurality of ports, ~~and~~ said ~~each~~ input port information identifying ~~each~~ the port[[,]] through which said ~~each~~ packet has been received,

wherein said first service class specifying unit further includes: a first service class-correspondent table for defining correspondences between said service classes and said plurality of ports, and

wherein said first service class specifying unit ~~makes a retrieval with reference to~~ uses said first service class-correspondent table, based on said ~~each~~ input port information, so as to specify[[,]] ~~as said each service class, each~~ the service class corresponding to each port ~~identified by said each input port information.~~

8. (Currently Amended) The data multiplexing network system as claimed in claim [[1]] 2,

wherein each of said plurality of packets ~~has a~~ includes packet identifying information which identifies said each packet,

wherein said first service class specifying unit further includes: a second service class-correspondent table for defining correspondences between said service classes and said packet identifying informations, and

wherein said first service class specifying unit ~~makes a retrieval with reference to~~ uses said second service class-correspondent table, based on said each

packet identifying information, so as to specify~~[[,]] as said each service class,~~ each the service class corresponding to said ~~each~~ packet identifying information.

9. (Original) The data multiplexing network system as claimed in claim 1, wherein said plurality of different service classes include a best effort class and a perfect band guarantee class.

10. (Original) The data multiplexing network system as claimed in claim 1, wherein at least one of said first and second wavelength multiplexing function units further includes a shaper for controlling packet traffics in a plurality of wavelength bands.

11. (Currently Amended) A wavelength multiplexer including:

a first wavelength multiplexing function unit for setting a plurality of different wavelengths which correspond to a plurality of different service classes, respectively, and for mapping each ~~packet~~ of a plurality of packets into each a correspondent-wavelength which corresponds to ~~each service class,~~ a particular one of the plurality of different service classes to which said ~~each~~ packet belongs, and for multiplexing said correspondent-wavelengths for said plurality of different service classes for a data transmission ~~at a multiplexed wavelength~~ through said wavelength division multiplexing network.

12. (Currently Amended) The wavelength multiplexer as claimed in claim 11, wherein said first wavelength multiplexing function unit further includes:

a plurality of ports for receiving ~~[[a]]~~ said plurality of packets;

a first packet interface unit for receiving said plurality of packets from said plurality of ports;

a first service class specifying unit for receiving said plurality of packets from said first packet interface unit and for specifying ~~each~~ the service class~~[[,]]~~ to which each of said plurality of packets belongs;

a first wavelength mapping unit for receiving said plurality of packets from said first service class specifying unit and for mapping each of said plurality of packets at ~~each~~ a correspondent-wavelength ~~which corresponds to said each~~ corresponding to the specified service class; and

a first wavelength division multiplexing network interface for receiving said correspondent-wavelengths from said first wavelength mapping unit and for multiplexing said correspondent-wavelengths.

13. (Currently Amended) The wavelength multiplexer as claimed in claim 12, further including a second wavelength multiplexing function unit for receiving ~~said~~ each correspondent-wavelength and for fetching a packet therefrom ~~from said each~~ ~~correspondent-wavelength~~.

14. (Currently Amended) The wavelength multiplexer as claimed in claim 13, wherein said second wavelength multiplexing function unit further includes:

a second wavelength division multiplexing network interface for demultiplexing a multiplexed wavelength transmitted through said wavelength division multiplexing network into said correspondent-wavelengths;

a second wavelength mapping unit for receiving said correspondent-wavelengths from said second wavelength division multiplexing network interface and for fetching said packets from said correspondent-wavelengths;

a second service class specifying unit for receiving said packets from said second wavelength mapping unit and for specifying ~~each~~ an appropriate output port for each of said packets, and for adding ~~each~~ output port information to ~~said~~ each packet; and

a second packet interface unit for receiving ~~said~~ each packet with said ~~each~~ output port information and for sending said ~~each~~ packet to ~~identified~~ the one of said plurality of ports~~[[,]]~~ identified by said ~~each~~ output port information.

15. (Currently Amended) The wavelength multiplexer as claimed in claim 14,

wherein said first service class specifying unit adds said ~~each~~ output port information to ~~said~~ each packet, and

wherein said second service class specifying unit also specifies said ~~each~~ output port based on said ~~each~~ output port information of ~~said~~ each packet.

16. (Currently Amended) The wavelength multiplexer as claimed in claim 14, wherein said second service class specifying unit also specifies said ~~each~~ output port based on ~~each~~ packet specifying information included in ~~said~~ each packet.

17. (Currently Amended) The wavelength multiplexer as claimed in claim 16, wherein said ~~each~~ packet specifying information comprises a packet header included in ~~said~~ each packet.

18. (Currently Amended) The wavelength multiplexer as claimed in claim 11,

wherein said first packet interface unit adds ~~each~~ input port information to each of said plurality of packets as received from said plurality of ports, ~~and~~ said ~~each~~ input port information identifying ~~each~~ the port[[,]] through which said ~~each~~ packet has been received,

wherein said first service class specifying unit further includes: a first service class-correspondent table for defining correspondences between said service classes and said plurality of ports, and

wherein said first service class specifying unit ~~makes a retrieval with reference to~~ uses said first service class-correspondent table, based on said ~~each~~ input port information, so as to specify[[,]] ~~as said each service class, each~~ the service class corresponding to each port ~~identified by said each input port information.~~



19. (Currently Amended) The wavelength multiplexer as claimed in claim  
[[11]] 12,

wherein each of said plurality of packets ~~has a~~ includes packet identifying  
information which identifies said ~~each~~ packet, wherein said first service class specifying  
unit further includes: a second service class-correspondent table for defining  
correspondences between said service classes and said packet identifying informations,  
and

wherein said first service class specifying unit ~~makes a retrieval with~~  
~~reference to~~ uses said second service class-correspondent table, based on said each  
packet identifying information[[,]] ~~so as to specify, as said each service class, each the~~  
service class corresponding to said ~~each~~ packet identifying information.

20. (Original) The wavelength multiplexer as claimed in claim 11, wherein  
said plurality of different service classes include a best effort class and a perfect band  
guarantee class.

21. (Original) The wavelength multiplexer as claimed in claim 11, wherein at  
least one of said first and second wavelength multiplexing function units further  
includes a shaper for controlling packet traffics in a plurality of wavelength bands.

22. (Currently Amended) A data multiplexing transmission method including:

setting a plurality of different wavelengths which correspond to a plurality of different service classes, respectively;

mapping each ~~packet~~ of a plurality of packets into each a correspondent-wavelength which corresponds to ~~each service class, a particular one of the plurality of different service classes~~ to which said each packet belongs; and

multiplexing said correspondent-wavelengths for said plurality of different service classes for a data transmission ~~at a multiplexed wavelength~~ through said wavelength division multiplexing network.

23. (Currently Amended) The data multiplexing transmission method as claimed in claim 22, further including:

receiving said each correspondent-wavelength; and

fetching a packet from said each correspondent-wavelength.

24. (Currently Amended) The data multiplexing transmission method as claimed in claim 23, further including the steps of:

demultiplexing a multiplexed wavelength transmitted through said wavelength division multiplexing network into said correspondent-wavelengths for fetching said packets from said correspondent-wavelengths;

specifying ~~each~~ the output port for each of said packets;  
adding ~~each~~ the specified output port information to ~~said~~ each packet; and  
sending ~~said~~ each packet to an identified one of said plurality of ports,  
identified by said ~~each~~ output port information.

25. (Currently Amended) The data multiplexing transmission method as  
claimed in claim 24,

wherein said ~~each~~ output port information is added to said each packet, and

wherein said ~~each~~ output port is specified based on said ~~each~~ output port  
information of ~~said~~ each packet.

26. (Currently Amended) The data multiplexing transmission method as  
claimed in claim 24, wherein said ~~each~~ output port is also specified based on ~~each~~  
packet ~~specifying~~ information included in ~~said~~ each packet.

27. (Currently Amended) The data multiplexing transmission method as  
claimed in claim 26, wherein said ~~each~~ packet specifying information comprises a  
packet header included in ~~said~~ each packet.

28. (Currently Amended) The data multiplexing transmission method as  
claimed in claim 22,

wherein ~~each~~ input port information is added to each of said plurality of packets as received from said plurality of ports, ~~and~~ said ~~each~~ input port information ~~identifies each~~ identifying the port[[,]] through which said ~~each~~ packet has been received, and

wherein a retrieval is made with reference to a first service class-correspondent table for defining correspondences between said service classes and said plurality of ports, based on said ~~each~~ input port information, so as to specify[[,]] ~~as said each service class, each~~ the service class corresponding to each port identified by said ~~each~~ input port information.

29. (Currently Amended) The data multiplexing transmission method as claimed in claim 22,

wherein each of said plurality of packets ~~has a~~ includes packet identifying information which identifies said ~~each~~ packet, and

wherein a retrieval is made with reference to a second service class-correspondent table defining correspondences between said service classes and said packet identifying informations, based on said ~~each~~ packet identifying information, so as to specify[[,]] ~~as said each service class, each~~ the service class corresponding to said ~~each~~ packet identifying information.

30. (Original) The data multiplexing transmission method as claimed in claim 22, wherein said plurality of different service classes include a best effort class and a perfect band guarantee class.